HP Color LaserJet Enterprise MFP M680 series



Use this high-performance color MFP to stay productive in the office and on the go.²

Tackle high-volume jobs with a high-performance color MFP. Print and copy on letter and A4, plus scan and fax. Enhanced scanning and an 8-inch color touchscreen streamline workflows. Mobile printing options help you stay productive on the go.^{2,8}



HP Color LaserJet Enterprise MFP M680dn



HP Color LaserJet Enterprise MFP M680f



HP Color LaserJet Enterprise Flow MFP M680z

Make workflow fly

- Get more done, faster. Scan two-sided documents in a single pass. No missed pages, no flipping pages by hand.
- Preview and edit scans, adjust images, and launch standard processes—all at the 8-inch color touchscreen.
- Fast, accurate input—enter data more quickly and accurately, using the pull-out keyboard.
- Scan and send digital files directly to email, SharePoint®, network folders, or the cloud.²

Mobilize business printing

- Print without wires—or a network. Get easy access to the MFP through optional wireless direct printing.⁴
- Mobile printing at a touch—enable touch-to-print convenience from mobile devices.⁵
- Easily print from smartphones, tablets, and notebooks at work, home, or on the go; Mopria-certified.¹
- Pull print jobs from your pocket—walk up and print or scan from your USB drive.

Ready, set, grow

- Depend on an MFP that can expand with your business, whenever solutions advance.
- Take the guesswork out of fleet management—centrally monitor and control your MFPs with HP Web Jetadmin.⁶
- Be confident that sensitive business data is protected with advanced security and an encrypted hard disk.

Loaded for productivity

- Reload less often—tackle high-volume printing with a paper capacity of up to 3,100 sheets.³
- Reduce employee time at the MFP, using the automatic document feeder.
- Confidently capture data. HP EveryPage lets you scan without worry and detect potential errors right away.¹⁰
- Save time with automatic job sorting and finishing, using the 3-bin stapling mailbox.

¹Local printing requires mobile device and printer to be on the same wireless network or have a direct wireless connection. Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See hp.com/go/businessmobileprinting for more details. Mopria-certified devices adhere to a common standard that enables easy mobile printing with little or no setup. ² Scanning to SharePoint and/or the cloud requires an Internet connection to the printer. Services may require registration. Availability varies by country, language, and agreements. For details, see hp.com/go/mfp ³ Maximum paper capacity requires purchase of additional paper trays for the HP Color LaserJet Enterprise M680f and M680dn. ⁴ Wireless direct printing requires purchase of optional module. Mobile device may require an app or driver. Wireless performance is dependent on physical environment and distance from the printer. For details, see hp.com/go/businessmobileprinting ⁵ Touch-to-print capability requires purchase of optional module. Mobile device must support near-field communications-enabled printing. For a list of supported devices, see hp.com/go/businessmobileprinting ⁶ HP Web Jetadmin ⁷ Three-bin stapling mailbox requires additional purchase for the HP Color LaserJet Enterprise MFP M680dn and HP Color LaserJet Enterprise MFP M680dn. ⁸ Reyboard is available on the HP Color LaserJet Enterprise MFP M680Z only. ¹⁰ HP EveryPage is available on the HP Color LaserJet Enterprise MFP M680Z only.

Product walkaround

- 1 Intuitive 8-inch (20.3 cm) color touchscreen control panel
- 2 100-sheet automatic document feeder (ADF) with single-pass, two-sided scanning and HP EveryPage with ultrasonic double-feed detection
- 3 Home button (returns to home screen)
- 4 900-sheet, 3-bin stapling mailbox accessory (Optional on the M680dn and M680f)
- 5 500-sheet output bin
- 6 Hardware integration pocket (for connecting accessory and third-party devices)
- 7 Easy access USB port to save and print files directly
- 8 Front door (access to toner cartridges)
- 9 Built-in automatic duplexer
- 10 Lower-right door (access for clearing jams)
- 11 500-sheet tray 2
- 12 2 x 500-sheet tray
- 13 1,500-sheet high-capacity input with stand
- 14 Pull-out keyboard for easy, accurate data entry
- 15 Right-side door (access for clearing jams)
- 16 100-sheet multipurpose tray
- 17 On/off button
- 18 Fax port
- 19 HP High-Performance Secure Hard Disk
- 20 800 MHz processor, 2 GB RAM
- 21 Foreign interface harness (for connecting external devices)
- 22 Hi-Speed USB 2.0 printing port
- 23 Hi-Speed USB 2.0 port (for connecting third-party devices)
- 24 HP Jetdirect Gigabit Ethernet print server
- 25 Access port for optional Kensington-style lock

HP Color LaserJet Enterprise Flow MFP M680z shown





Side I/O panel close-up

Series at a glance







			11
Model	HP Color LaserJet Enterprise MFP M680dn	HP Color LaserJet Enterprise MFP M680f	HP Color LaserJet Enterprise Flow MFP M680z
Part number	CZ248A	CZ249A	CZ250A
100-sheet multipurpose tray	✓	✓	✓
500-sheet tray 2	✓	✓	✓
500-sheet tray 3 with storage cabinet	Optional	✓	Not available
2 x 500-sheet trays and 1,500-sheet HCI with stand	Optional	Not available	✓
900-sheet, 3-bin stapling mailbox	Optional	Optional	✓
Touch-to-print and wireless direct mobile printing	Optional	Optional	Optional
100-page ADF with single-pass, two-sided scanning	✓	✓	✓ (Plus HP EveryPage)
Fax	Optional	✓	✓

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

HP Care Pack Services provide comprehensive suite of protection services designed to keep HP Hardware and software up and running so employees can stay productive.

Choose from:

Next Business Day Onsite Repair: Makes an HP technician available at customers' premise the next business day, if the issue cannot be resolved remotely.

Same Day Onsite - 4 hour 9 x 5 and 13 x 5:

Sends an HP technician to customer's site the same business day for repair, within 4 hours, if the issue cannot be resolved through remote support. Various support window times are available, for different requirements.

For care pack availability visit: hp.com/go/cpc











Top Features

Power up your productivity with super-fast scanning, impressive paper capacity, and an 8-inch color touchscreen with image preview—to help provide the best results, ahead of time.

Give users the ability to connect and print almost anywhere work takes them. Simple mobile printing saves time—and keeps your business moving at top speed. Print without wires—or a network—with optional wireless direct printing.²

Keep your printing fleet looking forward. Easily expand and upgrade this MFP as solutions advance—and use simple, central management tools to save IT time and budget.

Take office productivity higher. Load the MFP with up to 3,100 sheets and high-capacity Original HP cartridges, set up jobs with the automatic document feeder, and let it go to work. HP EveryPage helps detects errors before they start. 3

Accessories			
CZ261A	HP Color LaserJet 500-sheet Paper Tray		
CZ263A	HP Color LaserJet 2 x 500-sheet Paper Feeder 1,500-sheet High-capacity Paper Feeder and Stand		
CZ264A	HP 900-sheet 3-bin Stapling Mailbox		
CC487A	HP LaserJet MFP Analog Fax Accessory 500		
J8026A	HP Jetdirect 2700w USB Wireless Print Server		
J8029A	HP Jetdirect 2800w NFC/Wireless Direct Accessory		
CE246A	HP Color LaserJet 110V Fuser Kit		
CE265A	HP LaserJet Toner Collection Unit		
CE247A	HP Color LaserJet 220V Fuser Kit		
CE249A	HP Color LaserJet Transfer Kit		
L2718A	HP 100 ADF Roller Replacement Kit		
F5S62A	HP Trusted Platform Module Accessory		
Supplies			
CF320A	HP 652A Black Original LaserJet Toner Cartridge (~11,500 yield)		
CF320X	HP 653X High Yield Black Original LaserJet Toner Cartridge (~21,000 yield)		
CF321A	HP 653A Cyan Original LaserJet Toner Cartridge (~16,500 yield)		
CF322A	HP 653A Yellow Original LaserJet Toner Cartridge (~16,500 yield)		
CF323A	HP 653A Magenta Original LaserJet Toner Cartridge (~16,500 yield)		
Services			
U1PF8E	HP 3-year Next Business Day + DMR Color LaserJet M880 Multifunction printer Support		
U1PF9E	HP 4-year Next Business Day + DMR Color LaserJet M880 Multifunction printer Support		
U1PG0E	HP 5-year Next Business Day + DMR Color LaserJet M880 Multifunction printer Support		
U4TM0E	HP 3-year 4 hour 9x5 + DMR Color LaserJet M880 Multifunction Printer Service		
U4TM1E	HP 4-year 4 hour 9x5 + DMR Color LaserJet M880 Multifunction Printer Service		
U4TM2E	HP 5-year 4 hour 9x5 + DMR Color LaserJet M880 Multifunction Printer Service		
U1PH4PE	HP 1-year PW Next Business Day + DMR Color LaserJet M880 Multifunction printer Support		
U4TM3PE	HP 1-year PW 4 hour 9x5 + DMR Color LaserJet M880 Multifunction Printer Service		

¹ Maximum paper capacity requires purchase of additional paper trays for the HP Color LaserJet Enterprise M680f and M680dn. ² Wireless direct printing requires purchase of optional module. Mobile device may require an app or driver. Wireless performance is dependent on physical environment and distance from the printer. For details, see hp.com/go/businessmobileprinting ³ HP EveryPage is available on the HP Color LaserJet Enterprise MFP M680z only.

HP Color LaserJet Enterprise MFP M680 series

	HP Color LaserJet Enterprise MFP M680dn (CZ248A)	HP Color LaserJet Enterprise MFP M680f (CZ249A)	HP Color LaserJet Enterprise Flow MFP M680z (CZ250A)		
liO functions	Print, Copy, Scan, Digital Send, Scan-to-Easy Access USB AiO multitasking supported: Yes	Print, Copy, Scan, Fax, Digital Send, Scan-to-Easy Access USB AiO multitasking supported: Yes	Print, Copy, Scan, Fax, Digital Send, Scan-to-Easy Access USB, Scan-to-SharePoint Scan-to-Flow CM (where applicable); AiO multitasking supported: Yes		
ıplex print options	appoint its	Automatic	and the second and th		
nt speed¹		$\textbf{Normal, letter:} \ \texttt{Up to 45 ppm black and color;} \ \textbf{Normal, A4:} \ \texttt{Up to 42 ppm black and color}$			
st page out²		Black (ready): As fast as 10.5 sec; Color (ready): As fast as 10.5 sec			
int resolution	Black (best): Up to 1200 x 1200 dpi; Color (best): Up to 1200 x 1200 dpi				
int resolution technologies	HP ImageREt 4800, 600 x 600 dpi, HP ProRes 1200 (1200 x 1200 dpi), PANTONE® Calibrated				
int technology	Laser				
int cartridges number obile printing capability³	HE	4 (1 each black, cyan, magenta, yellow) ePrint, Apple AirPrint™, Mobile Apps, optional Touch-to-print, optional Wireless Direct printi	ing		
rinter smart software features	HP ePrint, Apple AirPrint™, Open Extensibility Platform, FutureSmart Firmware, Schedule (HP ePrint, Apple AirPrint™, Open Extensibility Platform, FutureSmart Firmware,		
	Color, PANTONE® Calibrated, digital send print preview, duplex, print multij	Schedule On and Off technology, Instant-on Technology, HP Auto-On/Auto-Off Technology, HP Easy Color, Pantone® Calibrated, digital send print preview, duple print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print job job separator, staple			
tandard print languages rinter management	HP PCL 6, HP PCL 5, HP postscript level 3 emulation, PDF, PDF and AirPrint (URF and PDF) HP Web Jetadmin: HP Utility (Mac)				
an type/technology	Type: Flathed, ADF; Technology: Charge Coupled Device (CCD)				
can speed	Normal, letter: Up to 60 ppm (b&w), up to 45 ppm (color); Duplex: Up to 60 ppm (b&w), up to 45 ppm (color) Normal, letter: Up to 65 ppm (b&w), up to 63 ppm (color); Duplex: Up to 8 (b&w), up to 66 ppm (color)				
can resolution		Enhanced: Up to 600 dpi; Hardware: Up to 600 x 600 dpi; Optical: Up to 600 dpi			
an file format		PDF, JPEG, TIFF, MTIFF, XPS, PDF/A			
an input modes anner advanced features	Front panel applications: Co Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scar	pp, E-mail, Save to Network Folder, Save to USB, Save to Device Memory, Open Extensibility			
	suppression; H	Optimize text/picture; Image adjustments; Job build; Output quality setting; Select scan resolution 75 to 600 dpi; Auto detect color; Edge erase; Auto tone; Auto job notification; Blank page suppression; Auto orientation; Auto page crop; HP Quick			
igital sending standard features	Scan-to-e-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; S	Scan-to-e-mail; Save-to-Network Folder; Scan-to-SharePoint; Save-to-USB drive; S to FTP; Send to LAN Fax; Send to Internet Fax; OCR; Local Address Book; SMTP over			
an size maximum it depth/Grayscale levels	Flatbed: 8.5 x 14 in (216 x 356 mm) Bit Depth: 24-bit; Grayscale: 256				
t deptn/Grayscale levels ppy speed4	nor u-upm: 2-4-01, u-gastein: 2-4-01, u-gastein: 2-4-00, u-gastein: 2-50 Normal, letter: Up to 45 cpm black and color: Normal, A4: Up to 42 cpm black and color				
py resolution	Black (text and graphics): Up to 600 x 600 dpi (Flatbed), 300 x 600 dpi (ADF); Color (text and graphics): Up to 600 x 600 dpi (Flatbed), 300 x 600 dpi (ADF)				
ax. no. of copies	SHEET LEAST WITH STREET, OF TO DOOR DOOD QUITTED TO ADD TO STREET, OF TO DOOR DOOD QUITTED TO ADD TO STREET, OF TO DOOR DOOD QUITTED TO ADD TO STREET, OF TO DOOR DOOD QUITTED TO ADD TO STREET, OF TO DOOR DOOD QUITTED TO ADD TO STREET, OF TO DOOR DOOD QUITTED TO ADD TO STREET, OF TO DOOR DOOD QUITTED TO ADD TO STREET, OF TO DOOR DOOD QUITTED TO ADD TO STREET, OF TO DOOR DOOD QUITTED TO ADD TO STREET, OF TO DOOR DOOD QUITTED TO ADD TO STREET, OF TO DOOR DOOD QUITTED TO ADD TO STREET, OF TO DOOD QUITTED TO ADD TO STREET, OF TO DOOD QUITTED TO ADD TO STREET, OF TO DOOD QUITTED TO STREET, OF TO DOOD QUITTED TO ADD TO STREET, OF TO STRE				
pier resize		25 to 400%			
pier settings		kness, contrast, background cleanup, sharpness), N-up, N or Z-ordering content orientation			
x speed	Not applicable		13 sec per page lack (standard): 100 x 100 dpi; Black and White (fine): 200 x 200 dpi, 256 levels of gray; Black and White (superfine): 300 x 300 dpi,		
x resolution	Not applicable		• (fine): 200 x 200 dpi, 256 levels of gray; Black and White (superfine): 300 x 300 dpi, els of gray		
x smart software features	Not applicable		x address book; LAN/Internet fax; fax number confirmation		
x features	Not applicable		istinctive ring detection supported: No; Fax forwarding supported: Yes; Junk barrier		
andard connectivity	1 Hi-Speed device USB 2.0; 2 Host USB 2.0 (for third-party connections); 1 Jetlink;		r 100 (each can contain 100 numbers); PC interface supported: Yes, PC fax send only c; 1 Accessory (for Kensington Lock); 1 Gigabit Ethernet 10/100/1000; 1 Fax; 1 FIH		
etwork capabilities		e-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (
letwork ready		J8029A) and HP Jetdirect 2700W (J8026A) accessories cannot be installed at the same time Standard (built-in Gigabit Ethernet); Included Touch-to-print and Wireless Direct	ē.		
/ireless capability	Optional, enabled with purchase of HP Jeditories T200m USB Wireless Prints Evere 1802E46 HP Jeditories C Prints Tever 1802E46 HP Jeditories C Prints Evere 1802				
lemory	Optionia, enables with participe or in zetalect chose due which seems of in zetalect exception obtaining whereas nint server about its 2 (80 DDR2				
rocessor speed		800 MHz			
uty cycle (monthly) ⁵		Up to 175,000 pages; Recommended monthly page volume: 6 3,000 to 17,000 pages			
aper handling	400 1 1 10 10 10 10 10 10 10 10 10 10 10	400 1 1 10 10 10 10 10 10 10 10 10 10 10	T 400 1 1 10 10 10 10 10 10 10 10 10 10 10		
Input	100-sheet multipurpose tray, 500-sheet input tray 2, 100-sheet automatic document feeder (ADF), automatic two-sided printing	100-sheet multipurpose tray, 500-sheet input tray 2, 500-sheet input tray 3, 100-sheet Automatic Document Feeder (ADF), automatic two-sided printing	100-sheet multipurpose tray, 500-sheet input trays 2, 3, and 4, 1,500-sheet input tr 100-sheet Automatic Document Feeder (ADF), automatic two-sided printing		
Output Media type	Paner (plain light hand recycled mid-weight heavy mid-weight glossy heavy gl	500-sheet output bin ossy, extra heavy, extra heavy glossy, cardstock, card glossy), color transparency, labels, letterl	head envelone preprinted preprinched colored rough opaque film user-defined		
Media weight		ain), 28 to 58 lb bond (glossy), 16 to 24 lb (envelopes); Trays 2, 3, 4, 5: 16 to 32 lb bond (pla			
Media sizes custom	Tray 1: 4.0 × 6.0 to 8.5 × 14 in; Tray 2: 5.8 × 8.3 to 8.5 × 14 in	Tray 1: 4.0 × 6.0 to 8.5 × 14 in; Tray 2, 3: 5.8 × 8.3 to 8.5 × 14 in	Tray 1: 4.0 × 6.0 to 8.5 × 14 in; Tray 2, 3, 4: 5.8 × 8.3 to 8.5 × 14 in; Tray 5: No custom sizes		
ADF capacity		Standard, 100 sheets			
mensions (W x D x H)	31.1 x 25 x 23 in; Max: 45.8 x 34.9 x 33.5 in	33 x 26.8 x 44.7 in; Max: 49 x 39.1 x 55.8 in	40.2 x 26.8 x 46.5 in; Max: 55.3 x 39.8 x 55.8 in		
eight	124.3 lb	171.4 lb	191.3 lb		
'hat's in the box'	HP Color Laser Jet Multifunction Printer; Black, Cyan, Magenta, and Yellow HP Color Laser Jet Toner Cartridges (installed); CD with software drivers and documentation; Documentation (Hardware Install Guide); power cord; HP Jetdirect Gigabit Ethernet Print	HP Color Laser Jet Multifunction Printer; Black, Cyan, Magenta, and Yellow HP Color Laser Jet Toner Cartridges (installed); Do with software drivers and documentation; Documentation (Hardware Install Guide); power cord; HP Jetdirect Gigabit Ethernet	HP Color Laser Jet Multifunction Printer; Black, Cyan, Magenta, and Yellow HP Col Laser Jet Toner Cartridges (installed); CD with software drivers and documentatio Documentation (Hardware Install Guide); power cord; HP Jetdirect Gigabit Ethernet		
	Server (embedded); 100-sheet multipurpose tray 1; 500-sheet input tray 2; Automatic duplexer (built-in); Encrypted Hard Drive:	Print Server (embedded); 100-sheet multipurpose tray 1; 500-sheet input tray 2; Automatic duplexer (built-in); Encrypted Hard Drive: 500 capacity sheet paper input w/ cabinet; Fax; Fax cable			
		Automatic duplexer (built-in); Encrypted Hard Drive: 500 capacity sheet paper input w/ cabinet; Fax; Fax cable One-year, onsite warranty	duplexer (built-in); Encrypted Hard Drive: 3,100 high capacity sheet paper input v		
nergy efficiency compliance	duplexer (built-in); Encrypted Hard Drive: Windows XP SP3 or greater (32-bit and 64-bit), Windows Vista (32-bit and 64-bit) 2008 (32-bit and 64-bit), Windows Server 2008 R2 (64-bit), Windows Supportzapple.com/kkh/4356, Android Citrix and Windows)* Terminal Service.	Automatic duplexer (built-in); Encrypted Hard Drive: 500 capacity sheet paper input w/ cabinet; Fax: Fax cabinet; Fax: Fax: Fax: Fax: Fax: Fax: Fax: Fax:	duplexer (built-in): Encrypted Hard Drive: 3,100 high capacity sheet paper input u stand; Fax: Fax cable; 900-sheet 3-bin stapling mailbox 54-bit), Windows Server 2003 SP2 or greater (32-bit and 64-bit), Windows Server X 10.9 Mavericks For the latest operating system support see: Air Print Novell flowell.Com/print), SPA devet by the hozofflog/spafdrivers, SAP Print		
nergy efficiency compliance ompatible operating systems	duplexer (built-in); Encrypted Hard Drive: Windows XP SP3 or greater (32-bit and 64-bit), Windows Vista (32-bit and 64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2008 R2 (64-bit), Windows Support.ap, Loc.nr/kb/hr4356, Android Citrix and Windows Ferminal Servine Short (but and Windows) Ferminal Servine Short (but and Windows) Ferminal Servine (but and Windows), Support.ap, L11, IBM AIX 3.2.5 or higher, CS X 10.6.5 now Leopard, OS X 10.7 Lion, only), SuSe Linux 8 x or higher, Windows 2003 SP2-64-bit, Windows Server 2003 SP2-6	Automatic duplexer (built-in); Encrypted Hard Drive: 500 capacity sheet paper input w/ cabinet; Fax; Fax cable One-year, onsite warranty ENERGY STAR® qualified; Blue Angel; CECP; EPEAT® Silver it), Windows 7 (32-bit and 64-bit), Windows 42(2-bit and 64-bit), Windows 10 (32-bit and 64-bit), SX 10.5 Storout Leopard; 05X 10.7 Lion, 05X 10.8 Mountain Lion, 05 Server 2012 (64-bit), 05X 10.5 Storout Leopard; 05X 10.7 Lion, 05X 10.8 Mountain Lion, 05	duplexer (built-in): Encrypted Hard Drive: 3, 100 high capacity sheet paper input ustand; Fax; Fax cable; 900-sheet 3-bin stapling mailbox 54-bit). Windows Server 2003 SP2 or greater (32-bit and 64-bit). Windows Server 1. 10.9 Mavericks For the latest operating system support see: Air Print Novell flowell. Corn/girnt), SAP device type hp.com/go/sap/drivers, SAP Print Lcom/go/unixmodelscripts vex, Novell 5.1 or higher, Red Hat Linux 7.x or higher, Solaris 2.5 or higher (SPARC systews XP SP3+ 6-bit). Windows XP SP3+ Professional, Windows		
nergy efficiency compliance mpatible operating systems mpatible network operating Systems inimum system requirements	duplexer (built-in); Encrypted Hard Drive: Windows XP SP3 or greater (32-bit and 64-bit), Windows Vista (32-bit and 64-bit), 2008 (32-bit and 64-bit), Windows Server 2008 R2 (64-bit), Windows Support.apple.com/kb/ht4356, Android Citrix and Windows* Terminal Service hp.com/go/sap/print), Will HP-IJX (10.20, 11-x; 11.i, IBM AIX 3.2-5 or higher, 05 X 10.6-5 now Leopard, 05 X 10.7 Lion, only), SuSe Linux & xor higher, Windows 2003 SP2 -64-bit, Windows Server 2003 SP2-X XP SP3+ Professional and Windows Vista, Windows 7 SP1 or greater (32-bit and 64-bit PK of Windows 10, Windows 8, Windows 7 (SP1 or higher), Windows Vista, Windows XP (D-ROM or DVD drive, or internet connection; Dedicated universal serial bus (XS 11-1). Linc; 05 X 10.9 Mayeristic, 01-00M or DVD drive, or internet connection; Dedicated universal serial bus (XS 11-1).	Automatic duplexer (built-in); Encrypted Hard Drive: 500 capacity sheet paper input w/ cabinet; Rac Fax obinet; Rac Fax obinet	duplexer (built-in): Encrypted Hard Drive: 3, 100 high capacity sheet paper input ustand; Fax; Fax cable; 900-sheet 3-bin stapling mailbox 54-bit), Windows Server 2003 SP2 or greater (32-bit and 64-bit), Windows Server X 10.9 Mavericks For the latest operating system support see: Air Pint X 10.9 Mavericks For the latest operating system support see: Air Pint X 10.9 Mavericks For the latest operating system support see: Air Pint X 10.0 Well (novell.com/iprint), SAP device type bp.com/go/sap/drivers, SAP Print X 10.0 Will (novell.S 1.0 in higher, Red Hat Linux 7 xor higher, Solaris 2.5 or higher (SPARC systems X PSP3+ Professional, Windows X PSP3+ Professional, Windows X PSP3+ Professional, Windows X PSP3+ Professional, Windows SP X 10.0 in Windows Server 2012 (64-bit), (For Microsoft IPv6 compatibility us Ver 2008 R2 (64-bit); Windows Server 2012 (64-bit); 200 MB available hard-disk space see microsoft.com Mac OS X 10.6 Snow Leopard; OS X 10.7 Lion; OS X 10.8 Mountannection; 16 G0 stabilible hard-disk space		
nergy efficiency compliance mpatible operating systems mpatible network operating Systems inimum system requirements systemmental ranges	duplexer (built-in); Encrypted Hard Drive: Windows XP SP3 or greater (32-bit and 64-bit), Windows Vista (32-bit and 64-bit), 2008 (32-bit and 64-bit), Windows Server 2008 R2 (64-bit), Windows Support.apple.com/kb/ht4356, Android Citrix and Windows* Terminal Service hp.com/go/sap/print), Will HP-IJX (10.20, 11-x; 11.i, IBM AIX 3.2-5 or higher, 05 X 10.6-5 now Leopard, 05 X 10.7 Lion, only), SuSe Linux & xor higher, Windows 2003 SP2 -64-bit, Windows Server 2003 SP2-X XP SP3+ Professional and Windows Vista, Windows 7 SP1 or greater (32-bit and 64-bit PK of Windows 10, Windows 8, Windows 7 (SP1 or higher), Windows Vista, Windows XP (D-ROM or DVD drive, or internet connection; Dedicated universal serial bus (XS 11-1). Linc; 05 X 10.9 Mayeristic, 01-00M or DVD drive, or internet connection; Dedicated universal serial bus (XS 11-1).	Automatic duplexer (bullt-in); Encrypted Hard Drive: 500 capacity sheet paper input w cabinet; Fasc Fax cable One-year, on site warranty ENERGY STAR® qualified; Blue Angel; ECEP; EPEAT® Silver 10, Windows 7 (32-bit and 64-bit), Windows 8 (32-bit and 64-bit), Windows 10 (32-bit and 64-bit), OS X 10.8 Snow Leopard, OS X 10.7 Lion, OS X 10.8 Mountain Lion, OS set (pac-mol/ople), HPP ePint Software Driver has comployeleprinsoftware. Linux (hplipner), Xh pc. com/gol/petrinsoftware, Linux (hplipner), Xh pc. com/gol/petrinsoftware, Linux (hplipner), Linux (hplipner), Linux (hplipner), Linux (hplipner), Linux (hplipner), Windows (Satz), Alley Mindows (Satz), Alley Mindows (Satz), Windows (Satz), W	duplexer (built-in): Encrypted Hard Drive: 3,100 high capacity sheet paper input stand; Fax; Fax cable; 900-sheet 3-bin stapling mailbox 54-bit), Windows Server 2003 SP2 or greater (32-bit and 64-bit), Windows Server X 10.9 Mavericks For the latest operating system support see: Air Pinit X 10.9 Mavericks For the latest operating system support see: Air Pinit X 10.9 Mavericks For the latest operating system support see: Air Pinit X 10.0 Hovell. Com/iprint), SAP device type hp.com/go/sap/drivers, SAP Print X 10.0 Hovell. S. 1 or higher, Red Hat Linux 7 xor higher, Solaris 2.5 or higher (SPARC systems XP SP3+ Print), Windows XP SP3+ Professional, Windows XP SP3+ Professional, Windows XP SP3+ Professional, Windows XP SP3+ Professional, Windows SP3+ Professional, Wi		
nergy efficiency compliance ompatible operating systems ompatible network operating Systems linimum system requirements novironmental ranges coustic*	duplexer (built-in); Encrypted Hard Drive: Windows XP SP3 or greater (32-bit and 64-bit), Windows Vista (32-bit and 64-bit), 2008 (32-bit and 64-bit), Windows Server 2008 R2 (64-bit), Windows Support. 2008 R2 (64-bit), Windows Server 2003 SP2 + XP SP3 + Professional and Windows Vista, Windows 7 SP1 or greater (32-bit and 64-bit) R2 (64-bit), Windows 10, Windows 8, Windows 7 (SP1 or Higher), Windows Vista, Windows PC (SP1 or Higher), Windows Vista, Wind	Automatic duplexer (built-in); Encrypted Hard Drive: 500 capacity sheet paper input w claimit; Fasc Fax cable One-year, on site warranty ENERGY STAR® qualified; Blue Angel; CECP; EPEAT® Silver (1), Windows 7 (32-bit and 64-bit), Windows 8 (32-bit and 64-bit), Windows 10 (32-bit and 64-bit), OS X 10.8 Snow Leopard, OS X 10.7 Lion, OS X 10.8 Mountain Lion, OS set pb. com/gol/pedipristoffware, Linux (hplip.ne), Linux (hpli	duplexer (bull-thi): Enroypted Hard Drive; 3,100 high capacity sheet paper input stand; Fax Fax cable; 900-sheet 3-bin stapling mailbox (54-bit), Windows Server 2003 SP2 or greater (32-bit and 64-bit), Windows Server x 10.9 Mavericks For the latest operating system support see: Air Print Novell flowell. Com/go/dnixmodelscripts (Novel flowell. Com/go/dnixmodelscripts) (Novel flowell. Com/go/dnixmodelscri		
nergy efficiency compliance ompatible operating systems ompatible network operating Systems inimum system requirements nvironmental ranges coustic*	duplexer (built-in), Encrypted Hard Drive: Windows XP SP3 or greater (32-bit and 64-bit), Windows Vista (32-bit and 64-bit), 2008 (32-bit and 64-bit), Windows Server 2008 R2 (64-bit), Windows Support, applex.om/Kbh/4356, Android Citrix and Windows Ferminal Service, Support, applex.om/Kbh/4356, Android Citrix and Windows Ferminal Service, Physiol Citrix and Vindows Ferminal Service, Physiol Citrix and Vindows Ferminal Service, Physiol Citrix and Vindows Ferminal Service, and Service, Sond Server 2003 SP2+ (84-bit), Windows Server 2003 SP2+ (87-bit), Side Linux Rx xor higher, Windows VST41, Windows V	Automatic duplexer (built-ni); Encrypted Hard Drive: 500 capacity sheet paper input w/ cabinet; Fasc Fax cable One-year, onsile warranty ENERGY STAR® qualified; Blue Angel; EECP; EPEAT® Silver t), Windows 7 (32-bit and 64-bit), Windows 8 (32-bit and 64-bit), Windows 10 (32-bit and 64-bit), Windows Server 2003 (32-bit and 64-bit), Windows Server 2003 (32-bit and 64-bit), Windows 50 (32-bit and 64-bit), Windows	duplexer (bull-thi): Enroysted Hard Drive; 3,100 high capacity sheet paper input stand; Fax; Fax cable; 900-sheet 3-bin stapling mailbox 54-bit), Windows Server 2003 5P2 or greater (32-bit and 64-bit), Windows Server X 10.9 Mavericks For the latest operating system support sea; in Print Novel (InovelLorm/inprint), SaP develte by per ho, com/go/shap/drivers, SaP Print s.com/go/unkemodelscripts New Novell 5.1 on higher, Red Hat Linux 7-x or higher, Solaris 2.5 or higher (SPARC systows XP SP3+ 64-bit), Windows Server 2012 (64-bit), (For Microsoft IrVe Compatibility uner 2008 R2 (64-bit), Windows Server 2012 (64-bit), (For Microsoft IrVe Compatibility uver 2008 R2 (64-bit), Windows Server 2012 (64-bit), 200 MB available hard disk space see microsoft.com Mac; 05X 10.6 Snow Leopard; 05X 10.7 Lion; 05X 10.8 Mount-norection; 16 Go available hard disk space as humidity range; 10 to 80% RH; Recommended operating humidity range; 30 to 7 AC (1/-10%), 50 Hz (+/-2 Hz), 6 A (Not dual voltage, power supply varies by part num uto 0ff/Wake on LAN), 0.07 (Auto 0ff/Manual Omrha); additional font solutions available.		
farranty features nergy efficiency compliance ompatible operating systems ompatible network operating Systems linimum system requirements nuironmental ranges coustic* ower onts and typefaces	duplexer (built-in), Encrypted Hard Drive: Windows XP SP3 or greater (32-bit and 64-bit), Windows Vista (32-bit and 64-bit), 2008 (32-bit and 64-bit), Windows Server 2008 R2 (64-bit), Windows Support, applex.om/Kbh/4356, Android Citrix and Windows Ferminal Service, Support, applex.om/Kbh/4356, Android Citrix and Windows Ferminal Service, Physiol Citrix and Vindows Ferminal Service, Physiol Citrix and Vindows Ferminal Service, Physiol Citrix and Vindows Ferminal Service, and Service, Sond Server 2003 SP2+ (84-bit), Windows Server 2003 SP2+ (87-bit), Side Linux Rx xor higher, Windows VST41, Windows V	Automatic duplexer (bullt-in); Encrypted Hard Drive: 500 capacity sheet paper input w / cabinet; Fasc Fax Cable One-year, on site warranty ENERGY STAR® qualified; Blue Angel; ECEP; EPEAT® Silver 10, Windows 7 (32-bit and 64-bit), Windows 8 (32-bit and 64-bit), Windows 10 (32-bit and 64-bit), OS X 10.8 Snow Leopard, OS X 10.7 Lion, OS X 10.8 Mountain Lion, OS set pb. com/go/pelprinsoftware, Linux (hplipner), Kh pc. com/go/pelprinsoftware, Linux (hplipner), Linux (hos X 10.8 Mountain Lion, OS X	54-bit), Windows Server 2003 SP2 or greater (32-bit and 64-bit), Windows Server X 10.9 Mavericks For the latest operating system support see: Air Print Novel flowell. Com/glo/dnipmodelscripts Novel flowell. Com/glo/dnipmodelscripts Novel flowell. Com/glo/dnipmodelscripts General Novel flowell. Com/glo/dnipmodelscripts General Novel flowell. General Server (SPAP For Server, Novell S.1 or higher, Red Hat Linux 7.x or higher, Solaris 2.5 or higher (SPARC system of the Server SPAP For Server, Novell S.1 or higher, Red Hat Linux 7.x or higher, Solaris 2.5 or higher (SPARC System of 2008 RC 64-bit), Windows XP SP3-9 Home, Windows XP SP3-9 For Server Server 2012 (64-bit), Grown Microsoft IPM-Groom Flaw Grown Server 2012 (64-bit), Grown Microsoft IPM-Groom flaw Grown Server 2012 (64-bit), Grown Microsoft IPM-Grown Micr		
nergy efficiency compliance ompatible operating systems ompatible network operating Systems linimum system requirements nvironmental ranges coustic* ower onts and typefaces	duplexer (built-in); Encrypted Hard Drive: Windows XP SP3 or greater (32-bit and 64-bit), Windows Vista (32-bit and 64-bit), 2008 (32-bit and 64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2008 R2 (64-bit), Windows Support.apple.com/kb/h4356, Android Citrix and Windows Ferminal Service of the company of th	Automatic duplexer (bullt-in); Encrypted Hard Drive: 500 capacity sheet paper input w / cabinet; Fasc Fax Cable One-year, on site warranty ENERGY STAR® qualified; Blue Angel; ECEP; EPEAT® Silver 10, Windows 7 (32-bit and 64-bit), Windows 8 (32-bit and 64-bit), Windows 10 (32-bit and 64-bit), OS X 10.8 Snow Leopard, OS X 10.7 Lion, OS X 10.8 Mountain Lion, OS set pb. com/go/pelprinsoftware, Linux (hplipner), Kh pc. com/go/pelprinsoftware, Linux (hplipner), Linux (hos X 10.8 Mountain Lion, OS X	duplexer (bull:-in): Encrypted Hard Drive; 3,100 high capacity sheet paper input vistand; Fax Fax cable; 900-sheet 3-bin stapling mailbox 54-bit), Windows Server 2003 SP2 or greater (32-bit and 64-bit), Windows Server X 10.9 Mavericks For the latest operating system support see: Air Print Novell flowell.Com/Ighrint), SAP device type hp.com/Igh/sap/drivers, SAP Print Loom/Igh/unismodelscripts Loom/Igh/unismodelscripts Were, Novell 5.1 or higher, Red Hat Linux 7 x or higher, Solaris 2.5 or higher (SPARC system) Were 2008 R2 (64-bit), Windows XP SP3-9 Home, Windows XP SP3-9 roftessional, Window Were 2008 R2 (64-bit), Windows XP SP3-9 Home, Windows XP SP3-9 roftessional, Window Were 2008 R2 (64-bit), Windows Server 2012 (64-bit), For Microsoft IPv6 compatibility or Were 2008 R2 (64-bit), Windows Server 2012 (64-bit), Compatibility or See microsoft.com Mac: OS X 10.6 Snow Leopard; OS X 10.7 Lion; OS X 10.8 Mountainnection; 1 GB of available hard-disk space See microsoft.com Mac: OS X 10.6 Snow Leopard; OS X 10.7 Lion; OS X 10.8 Mountainnection; 1 GB of available hard-disk space See microsoft.com Mac: OS X 10.6 Snow Leopard; OS X 10.7 Lion; OS X 10.8 Mountainnection; 1 GB of available hard-disk space See microsoft.com Mac: OS X 10.6 Snow Leopard; OS X 10.7 Lion; OS X 10.8 Mountainnection; 1 GB of available hard-disk space See microsoft.com Mac: OS X 10.6 Snow Leopard; OS X 10.7 Lion; OS X 10.8 Mountainnection; 1 GB of available hard-disk space See microsoft.com Mac: OS X 10.6 Snow Leopard; OS X 10.7 Lion; OS X 10.8 Mountainnection; 1 GB of available hard-disk space See microsoft.com Mac: OS X 10.6 Snow Leopard; OS X 10.7 Lion; OS X 10.8 Mountainnection; 1 GB of available hard-disk space See microsoft.com Mac: OS X 10.6 Snow Leopard; OS X 10.7 Lion; OS X 10.8 Mountainnection; 1 GB of available hard-disk space See microsoft.com Mac: OS X 10.6 Snow Leopard; OS X 10.7 Lion; OS X 10.8 Mountainnection; 1 GB of available hard-disk space See microsoft.com Mac: OS X 10.6 Snow Leopard; OS X 10.7 Lion; OS X		

¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <u>hp. com/go/printerclaims</u>. Exact speed varies depending on the system configuration, offware application, driver, and document complexity. ³ Nay require a firmware upgrade to be compatible, download at <u>hp. com/go/printerclaims</u>. Exact speed varies depending on the system configuration, software application, driver and document complexity. ³ Nay require a firmware upgrade to be compatible, download at <u>hp. com/go/support</u> * First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <u>hp. com/go/printerclaims</u>. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ³ Duty cycle is defined as the maximum unmber of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP Leaser let or HP Color Leaser let deveces, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups. * HP recommends that the number of pages per month of imaged output to within the stated range for optimized medical representations. The number of pages per month of imaged output the within the stated range for optimized warranty period. * Acoustic values are subject to Anage. For current medical representation in the product warranty period. * Province are subject to Anage. For current sold. The province are subject to Anage. For current sold. * Configuration see * hp. com/support.* Configuration tested: M680f model, simplex printing, A4 paper at an average of 43 ppm. * Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

To learn more, visit hp.com

© Copyright 2014 - 2015 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

